

# KARINCA 206

## Surgical Motor Systems

*Battery Operated*



*“Meeting point for surgery...”*



## STERILIZATION CONTAINER SYSTEMS

All AYGÜN sterilization container systems are designed for perfect steam penetration, traceability, safety and stability. The locking mechanisms secure excellent grip and ensure up and down movement of the lids under steam pressure during the sterilization. We service our bottoms and lids made of 2 mm high quality special alloy aluminum raw material to the whole world with 8 basic color options.

### CONTAINER MODELS

STANDARD PLUS MODEL  
STANDARD MODEL  
BIO-BARRIER MODEL  
PPSU MODEL  
WINDOW MODEL  
B3 MODEL  
PLASMA MODEL  
A1 MODEL  
SAFE MODEL



## SURGICAL MOTOR SYSTEMS

The expertise of AYGÜN in surgical motor systems gathered up many designs and systems that have special structures servicing from neuro and spinal surgery to many fields like cardiovascular, orthopedic, plastic, hand & foot and maxillofacial surgery. The quality, power and ergonomic design of the new generation of high-tech battery powered surgical motor systems once again demonstrates AYGÜN's expertise in the medical field.

### SURGICAL MOTOR SYSTEM MODELS

KARINCA 206  
KARINCA 208  
DERMATOME BES  
DERMATOME ST-5  
SKIN GRAFT MESHER  
PRAXIS 3  
PRAXIS 3B  
Sternal Saw 3B  
HSM Micro System  
HSM 2 Neuro & Spine System  
Mini Bone 40.000 rpm  
Mini Bone Monoblock  
Arthroscopy Shaver  
Mini Surgical Motor  
Mini Compact  
Neuro Air Power  
Standard Macro  
EPS Motor System  
Macro Compact  
Mobil Stator  
Raptor SPS4



## SURGICAL ILLUMINATION SYSTEMS

AYGÜN is furthering a number of R&D projects simultaneously thanks to its advanced R&D infrastructure, team of engineers and technical personnel specialized in their field. Thus, the company holds tens of patents and models actively used in the medical sector.

### ILLUMINATION SYSTEMS FEATURES

I-LIGHT LD Specifications  
Superior Optical performance  
Light beams configuration to provide shadowless illumination  
Almost perfect color rendition (Typ. 95)  
TFT touch screen for lighting control  
Adjustable beam sizes to user preferences  
Suitable for use with Laminar Flow functional ceilings  
Easy to clean  
Minimum Energy Consumption  
60.000 hours LED life  
Indirect Endo light for endoscopic operations











## DISPOSABLE STERILIZATION PRODUCTS









AYGÜN continues expanding its product range by adding other single use medical products to the completely silicone medical drainage systems needed by surgery. With its ISO 7 clean room and by carrying its expertise on sterilization and operation solutions one step further, AYGÜN offers professional service to its valued customers in disposable medical items as well.

### DISPOSABLE PRODUCTS MODELS

Reusable Laryngeal Mask  
Silicone Penrose Drain Tube  
Spiral In Tubes  
Silicone Nutrition Tube  
Silicone Round Drain  
Silicone Flat-Soft Drain  
Silicone Flat Drain  
Intubation Tube  
PVC Laryngeal Mask  
Silicone Penrose Drain  
Silicone Thorax Drain  
Tracheostomy tube  
Intubation Tube  
Vac Silicone Drain  
Oxygen Mask

**TABLE OF CONTENTS**

	<b>16-17</b> DRILL ATTACHMENT
	<b>18-19</b> SHANK DRILL BIT ATTACHMENT
	<b>20-21</b> REAMER ATTACHMENT
	<b>22-23</b> ACETABULAR REAMER ATTACHMENT
	<b>24</b> QUICK - ACTION CHUCK (K-wire driver)
	<b>25</b> RECIPROCATING SAW SYSTEM
	<b>26-29</b> SAGITTAL SAW SYSTEM
	<b>30</b> STERNUM SAW SYSTEM

<b>31</b> OSCILLATING SAW SYSTEM (Re-Operation)	
<b>32</b> ORTHOPEDIC SET	
<b>33</b> DRILL SET	
<b>34</b> SAGITTAL SAW SET	
<b>35</b> RECIPROCATING SAW SET	
<b>36</b> STERNAL SAW SET	
<b>37</b> CARDIO VASCULAR SET	
<b>38-39</b> CONTAINER SET FOR STERILIZATION	

Power, Precision and Innovation...

- Less Weight, High Power
- Next Generation Cutting Technology
- New Generation Surgical Motor Technology
- Li-ion Battery Technology



Sagittal Saw System



Hexa - Function Drill System

- Drill Mode (F&R)
- Drill Oscillation Mode
- Screwing Mode (F&R)
- Tapping Mode
- Reamer Mode (F&R)
- Reamer Oscillation Mode



Reciprocating Saw System



Sternum Saw System

**KARINCA 206**

- Light weight Karinca 206 provides efficient and reliable cutting performance with new generation powerful motor;
- One hand piece solution for reaming, high speed drilling, screw driving and tapping functions with high torque performance;
- Lithium-ion battery technology provides consistent power during the operation;
- Easy handling and ergonomic design of Karinca 206 ensures reliable and better controlled operation results;
- Efficient torque for acetabular reaming;
- Karinca 206 is an innovative new generation power tool with high quality engineering materials;
- Providing efficiency with Engineering Solutions;
- Extended battery life;
- Comfortable ergonomic design;
- Easy attachment assembly;
- High speed drilling and oscillating.



Karinca 206 power box records all data about usage for technical service information.

Karinca 206 provides users to observe battery level without removing the power box.


Karinca 206 can also provide information about battery process cycles like how many times, minutes, seconds the battery is charged, half charged or fully charged.



Power box oled screen enables users to indicate battery capacity by pressing the test button.



Battery, motor and all electronic components are combined together and exempt from sterilization by aim of increasing life time of the device



“ Mechanical structure of Karinca 206 Handpiece provides users non-restrictive washing and disinfection.”

## BATTERY CHARGING UNITS



### M206-410

Power box with battery pack

- Powerful brushless DC motor technology
- Battery capacity: 2.5 Ah / 37 Wh
- Voltage: 14.8 Volts
- Integrated oled screen and audible alert notification
- Not autoclavable
- 75 x 61 x 160 mm / 540 g



### M206-226

Charger unit for 1 battery

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 130 x 250 x 130 mm / 1300 g



### M206-212

Autoclavable sterile funnel for aseptic battery loading

- Steam sterilisable
- 30 x 74 x 104 mm / 55 g



Sterile funnel



### M206-227

Charger unit for 2 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A (x2)
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 230 x 250 x 130 mm / 2150 g



### M206-411

Battery pack, spare part (for service needs only)

- Li-ion battery
- Battery capacity: 2.5 Ah / 37 Wh
- Voltage: 14.8 Volts
- Not autoclavable
- 68 x 56 x 35 mm / 240 g



### M206-229

Charger unit for 4 batteries

- Main voltage 100-240 Volts, 50-60 Hz
- Charging current 2 A (x4)
- Charging voltage 16.8 Volts
- Protections: Short circuit / Overload / Over voltage
- Charging indicator led
- Battery not included
- 430 x 250 x 130 mm / 3850 g

## DRILL-REAMER HANDPIECE




Six  
Different  
Trigger  
Functions

**M206-200**  
Hexa - Function Drill System  
(Without drills and power box)

- Dual trigger system for speed control and direction control
- Steam sterilisable
- Drill Mode F&R (1200 rpm)
- Drill Oscillation Mode (1200 cpm)
- Screwing Mode F&R (150 rpm)
- Tapping Mode (150 rpm)
- Reamer Mode F&R (300 rpm)
- Reamer Oscillation Mode (300 cpm)
- Cannulated  $\varnothing$  4 mm
- 77 x 137 x 212 mm / 920 g



Screwing and tapping options enable smooth control with one-handpiece solution.



Drilling, Reaming, Screwing and Tapping options in one-handpiece



Forward, reverse and oscillation mode options provide versatile alternatives to the users.

## DRILL ATTACHMENTS

**M206-308**  
Drill attachment with keyed chuck  
 $\varnothing$ 4 mm Cannulated  
 $\varnothing$  1.0 mm - 4.0 mm  
1200 rpm / 5 Nm  
29 x 70 mm / 140 g



**M8-473**  
Chuck key  
for M206-308

**M206-309**  
Drill attachment with keyed chuck  
 $\varnothing$ 4 mm Cannulated  
 $\varnothing$  1.0 mm - 7.4 mm  
1200 rpm / 5 Nm  
29 x 87 mm / 205 g



**M7-250**  
Chuck key  
for M206-309

**M206-311**  
Drill attachment with hybrid chuck  
Both keyed and keyless operation  
 $\varnothing$ 4 mm Cannulated  
 $\varnothing$  0.3 mm - 3 mm  
1200 rpm / 5 Nm  
29 x 87 mm / 225 g



**M7-253**  
Chuck key  
for M206-311


**M206-310**  
Drill attachment with hybrid chuck  
Both keyed and keyless operation  
 $\varnothing$ 4 mm Cannulated  
 $\varnothing$  1.0 mm - 7.4 mm  
1200 rpm / 5 Nm  
34 x 100 mm / 320 g



**M7-252**  
Chuck key  
for M206-310

## DRILL BITS


Code	( $\varnothing$ ) Diameter mm	Length mm
M7-500	1.5	60
M7-501	2.0	100
M7-502	2.5	100
M7-503	2.7	100
M7-504	3.0	100
M7-505	3.2	100
M7-506	3.5	100
M7-507	4.0	110
M7-508	4.5	130
M7-509	5.0	160
M7-510	6.0	160



## SHANK DRILL BIT ATTACHMENTS



**M206-360**  
Attachment for SQUARE shank  
1200 rpm / 5 Nm  
29 x 75 mm / 115 g



**M206-361**  
Attachment for AO shank  
1200 rpm / 5 Nm  
29 x 73 mm / 125 g



**M206-362**  
Attachment for TRINKE shank  
1200 rpm / 5 Nm  
29 x 70 mm / 130 g




## SHANK DRILL BITS

Length mm	(∅) Diameter mm	SQUARE	AO	TRINKE
38	1.5	<b>M7-520</b>	<b>M7-540</b>	<b>M7-560</b>
45	2.0	<b>M7-521</b>	<b>M7-541</b>	<b>M7-561</b>
53	2.5	<b>M7-522</b>	<b>M7-542</b>	<b>M7-562</b>
57	2.7	<b>M7-523</b>	<b>M7-543</b>	<b>M7-563</b>
57	3.0	<b>M7-524</b>	<b>M7-544</b>	<b>M7-564</b>
57	3.2	<b>M7-525</b>	<b>M7-545</b>	<b>M7-565</b>
65	3.5	<b>M7-526</b>	<b>M7-546</b>	<b>M7-566</b>
70	4.0	<b>M7-527</b>	<b>M7-547</b>	<b>M7-567</b>
70	4.5	<b>M7-528</b>	<b>M7-548</b>	<b>M7-568</b>
95	5.0	<b>M7-529</b>	<b>M7-549</b>	<b>M7-569</b>
120	6.0	<b>M7-530</b>	<b>M7-550</b>	<b>M7-570</b>

**M206-375**  
Attachment for OSTEO shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 78 mm / 160 g



**M206-376**  
Attachment for DHS shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 100 mm / 170 g




**M206-377**  
Attachment for AO-PROTEK shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 82 mm / 210 g




**M206-378**  
Attachment for HUDSON shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 68 mm / 145 g




**M206-320**  
Attachment for HARRIS shank  
150 - 300 rpm / 35 Nm  
29 x 80 mm / 175 g



**M206-380**  
Attachment for ZIMMER-HUDSON shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 115 mm / 155 g



**M206-381**  
Attachment for ZIMMER shank  
∅4 mm Cannulated  
300 rpm / 22 Nm  
29 x 115 mm / 155 g



**M206-312**  
Reamer attachment with keyed chuck  
∅4 mm Cannulated  
∅ 1.0 mm - 7.4 mm  
300 rpm / 22 Nm  
29 x 87 mm / 205 g




## REAMER ATTACHMENT




### M206-330

Reamer attachment for wire and pin  
Cannulated Ø 4 mm  
300 rpm / 22 Nm  
29 x 80 mm / 185 g



### M7-905

Adaptor for AO-Protek shank  
Cannulated Ø 4 mm



### M7-908

Adaptor for Hudson  
Cannulated Ø 4 mm





### M7-907

Adaptor for Harris  
Cannulated Ø 4 mm



### M7-906

Universal three-jaw chuck  
with key M7-250  
Max Ø 6.35 mm  
Cannulated Ø 4 mm



M7-250  
Chuck key  
for M7-906

## REAMERS


Intramedullary reamers, flexible, with drilling heads		Guides, blunt			Guides, with drill tip		
Ø mm	Length 430 mm	Ø mm	Length 600 mm	Length 990 mm	Ø mm	Length 600 mm	Length 990 mm
5.5	<b>M7-920</b>						
6.0	<b>M7-921</b>						
6.5	<b>M7-922</b>	1.9	<b>M7-960</b>	<b>M7-961</b>	1.9	<b>M7-962</b>	
7.0	<b>M7-923</b>						
7.5	<b>M7-924</b>						
8.0	<b>M7-925</b>						
8.5	<b>M7-926</b>						
9.0	<b>M7-927</b>						
9.5	<b>M7-928</b>						
10.0	<b>M7-929</b>						
10.5	<b>M7-930</b>						
11.0	<b>M7-931</b>						
11.5	<b>M7-932</b>						
12.0	<b>M7-933</b>	3.4	<b>M7-963</b>	<b>M7-964</b>	3.4		<b>M7-965</b>
12.5	<b>M7-934</b>						
13.0	<b>M7-935</b>						
13.5	<b>M7-936</b>						
14.0	<b>M7-937</b>						
14.5	<b>M7-938</b>						
15.0	<b>M7-939</b>						
15.5	<b>M7-940</b>						
16.0	<b>M7-941</b>						
16.5	<b>M7-942</b>						
17.0	<b>M7-943</b>						
17.5	<b>M7-944</b>						
18.0	<b>M7-945</b>						
18.5	<b>M7-946</b>						
19.0	<b>M7-947</b>						



## ACETABULAR REAMER ATTACHMENT



**M206-320**  
Acetabular reamer attachment  
150 - 300 rpm / 35 Nm  
29 x 80 mm / 175 g



## ACETABULAR REAMER TOOLS




**M7-709**  
Shaft only,  
With Harris Connection  
for M7-750, M7-757



**M7-789**  
Movable protector case,  
Fits with all reamer shafts

**M7-705**  
Adaptor for AO-Protek shaft




**M7-706**  
Adaptor for DIN 58809 shaft



**M7-707**  
Adaptor for Hudson shaft



**M7-708**  
Universal three-jaw chuck  
with key M7-250



**M7-250**  
Chuck key  
for M7-708

Only Acetabular Reamer		<b>M7-750</b>	Ø 46 mm
		<b>M7-751</b>	Ø 48 mm
		<b>M7-752</b>	Ø 50 mm
		<b>M7-753</b>	Ø 52 mm
		<b>M7-754</b>	Ø 56 mm
		<b>M7-755</b>	Ø 60 mm
		<b>M7-756</b>	Ø 64 mm
		<b>M7-757</b>	Ø 68 mm

## QUICK - ACTION CHUCK


(K-wire Driver)



**M206-349**  
Quick - action chuck (K-wire Driver)  
Cannulated Ø 0.6 mm - 1.0 mm  
1200 rpm / 5 Nm  
29 X 77 mm / 300 g

**M206-352**  
Quick - action chuck (K-wire Driver)  
Cannulated Ø 0.7 mm - 2.5 mm  
1200 rpm / 5 Nm  
29 X 77 mm / 300 g


**M206-353**  
Quick - action chuck (K-wire Driver)  
Cannulated Ø 1.5 mm - 4.0 mm  
1200 rpm / 5 Nm  
29 X 77 mm / 300 g



## RECIPROCATING SAW SYSTEM



**M206-235**  
Reciprocating saw system  
(Without saw blades and power box)  
High-Low speed options  
Steam sterilisable  
11.000 - 14.000 cpm /  $\leftrightarrow$  4 mm  
77 x 182 x 212 mm / 960 g




High and Low speed options in one-handpiece

## RECIPROCATING SAW BLADES


**M103-236**  
Material Thickness : 0.60 mm  
Cutting Thickness : 1.10 mm



**M103-238**  
Material Thickness : 0.80 mm  
Cutting Thickness : 1.05 mm



**M103-239**  
Material Thickness : 0.80 mm  
Cutting Thickness : 1.00 mm




## SAGITTAL SAW SYSTEM




**M206-300**  
Sagittal saw system  
(Without saw blades and power box)

High-Low speed options  
Steam sterilisable  
11.000 - 14.000 cpm /  $\angle 4^{\circ} 50'$   
77 x 158 x 218 mm / 930 g




High and Low speed options in one-handpiece


## SAGITTAL SAW BLADES



**M103-1110**  
Material Thickness : 0.4 mm  
Cutting Thickness : 0.6 mm




**M103-1111**  
Material Thickness : 0.4 mm  
Cutting Thickness : 0.6 mm




**M103-1112**  
Material Thickness : 0.4 mm  
Cutting Thickness : 0.6 mm


**M103-1113**  
Material Thickness : 0.4 mm  
Cutting Thickness : 0.6 mm




**M103-1114**  
Material Thickness : 0.4 mm  
Cutting Thickness : 0.6 mm




**M103-1115**  
Material Thickness : 0.6 mm  
Cutting Thickness : 0.8 mm




**M103-1116**  
Material Thickness : 0.6 mm  
Cutting Thickness : 0.8 mm




**M103-1117**  
Material Thickness : 0.6 mm  
Cutting Thickness : 0.8 mm




**M103-1118**  
Material Thickness : 1.19 mm




**M103-1119**  
Material Thickness: 1 mm




Material Thickness  
**M103-1136** 1.27 mm  
**M103-1137** 1.37 mm




**M103-1120**  
Material Thickness: 1 mm




**M103-1138**  
Material Thickness: 1.27 mm




Material Thickness  
**M103-1121** 1 mm  
**M103-1122** 1.19 mm  
**M103-1123** 1.27 mm  
**M103-1124** 1.37 mm




Material Thickness  
**M103-1139** 1 mm  
**M103-1140** 1.27 mm




Material Thickness  
**M103-1125** 1.19 mm  
**M103-1126** 1.27 mm  
**M103-1127** 1.37 mm



Material Thickness  
**M103-1141** 1 mm  
**M103-1142** 1.19 mm  
**M103-1143** 1.27 mm  
**M103-1144** 1.37 mm  
**M103-1145** 1.47 mm




Material Thickness  
**M103-1128** 1 mm  
**M103-1129** 1.19 mm  
**M103-1130** 1.27 mm  
**M103-1131** 1.37 mm  
**M103-1132** 1.47 mm




**M103-1146**  
Material Thickness: 1.27 mm



Material Thickness  
**M103-1133** 1 mm  
**M103-1134** 1.19 mm  
**M103-1135** 1.27 mm



**M103-1147**  
Material Thickness: 1.19 mm




## STERNUM SAW SYSTEM



**M206-240**  
Sternum saw system  
(Without saw blades, guide and power box)

High-Low speed options  
Steam sterilisable  
11.000 - 14.000 cpm /  $\leftrightarrow$  4 mm  
77 x 180 x 212 mm / 1040 g



High and Low speed options in one-handpiece


## OSCILLATING SAW SYSTEM

(Re-operation)




**M206-300**  
Oscillating saw system  
(Without saw blades and power box)

High-Low speed options  
Steam sterilisable  
11.000 - 14.000 cpm /  $\angle$  4° 50'  
77 x 158 x 218 mm / 930 g




High and Low speed options in one-handpiece


### BLADES (Adult)



**M103-715**  
Adult saw guide



**M103-709**  
Material Thickness : 0.60 mm  
Cutting Thickness : 1.05 mm




**M103-710**  
Material Thickness : 0.80 mm  
Cutting Thickness : 1.05 mm


### BLADES (Pediatric)



**M103-716**  
Pediatric saw guide




**M103-711**  
Material Thickness : 0.60 mm  
Cutting Thickness : 0.60 mm




**M103-712**  
Material Thickness : 0.80 mm  
Cutting Thickness : 0.80 mm

### BLADES (for M206-300)


M103-390



M103-391




M103-392



Code	Length	Width	Material Thickness	Cutting Thickness
<b>M103-390</b>	35 mm	25 mm	0.80 mm	1.20 mm
<b>M103-391</b>	50 mm	40 mm	0.80 mm	1.20 mm
<b>M103-392</b>	35 mm	75 mm	0.80 mm	1.20 mm

## ORTHOPEDIC SET



## DRILL SET



### M206-1001 Orthopedic Set

Set Content

M206-200	Karınca Drill-Reamer Handpiece
M206-410	Power box with battery pack (2 pcs)
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-227	Charger unit for 2 batteries
M206-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M206-309
M206-300	Karınca Sagittal saw Handpiece
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M206-320	Acetabular reamer attachment
M206-330	Reamer attachment for wire and pin
M206-352	Quick - action chuck (K-wire Driver)
M14-816	Spray oil
K3-2723	Basket with silicone fixations
K6-120	Perforated lid
K6-107	Box, non perforated



**M206-410**  
Power box with battery pack (2 pcs)



**M206-227**  
Charger unit for 2 batteries



**M14-816**  
Spray oil, for motor and additional pcs. After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



**K3-2723**  
Basket with silicone fixations 546 x 259 x 114 mm



**K6-120**  
Perforated Lid, Standard Model 585 x 285 mm

**K6-107**  
Box, non perforated 600 x 272 x 138 mm

### M206-1005 Drill Set

Set Content

M206-200	Karınca Drill-Reamer Handpiece
M206-410	Power box with battery pack
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M206-309	Drill attachment with keyed chuck
M7-502	Drill bit
M7-504	Drill bit
M7-250	Chuck key for M206-309
M14-816	Spray oil
K3-2731	Basket with silicone fixations
K6-340	Perforated lid
K6-307	Box, non perforated



**M206-410**  
Power box with battery pack



**M206-226**  
Charger unit for 1 battery



**M14-816**  
Spray oil, for motor and additional pcs. After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



**K6-340**  
Perforated Lid, Standard Model 460 x 285 mm



**K6-307**  
Box, non perforated 475 x 272 x 138 mm



**K3-2731**  
Basket with silicone fixations 411 x 259 x 114 mm

## SAGITTAL SAW SET

## RECIPROCATING SAW SET



### M206-1007 Sagittal Saw Set

Set Content

M206-300	Karınca Sagittal saw Handpiece
M206-410	Power box with battery pack
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-1117	Sagittal saw blade
M103-1146	Sagittal saw blade
M14-816	Spray oil
K3-2731-S2	Basket with silicone fixations
K6-340	Perforated lid
K6-307	Box, non perforated



**M206-410**  
Power box with battery pack



**M206-226**  
Charger unit for 1 battery



**M14-816**  
Spray oil, for motor and additional pcs.  
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



**K6-340**  
Perforated Lid, Standard Model  
460 x 285 mm

**K6-307**  
Box, non perforated  
475 x 272 x 138 mm



**K3-2731-S2**  
Basket with silicone fixations  
411 x 259 x 114 mm

### M206-1013 Reciprocating Saw Set

Set Content

M206-235	Karınca Reciprocating saw Handpiece
M206-410	Power box with battery pack
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-239	Reciprocating saw blade
M14-816	Spray oil
K3-2731-S3	Basket with silicone fixations
K6-340	Perforated lid
K6-307	Box, non perforated



**M206-410**  
Power box with battery pack



**M206-226**  
Charger unit for 1 battery



**M14-816**  
Spray oil, for motor and additional pcs.  
After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.




**K6-340**  
Perforated Lid, Standard Model  
460 x 285 mm

**K6-307**  
Box, non perforated  
475 x 272 x 138 mm




**K3-2731-S3**  
Basket with silicone fixations  
411 x 259 x 114 mm

## STERNAL SAW SET



## CARDIO VASCULAR SET



### M206-1009 Sternal Saw Set

Set Content

M206-240	Karinca Sternum saw Handpiece
M206-410	Power box with battery pack
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-226	Charger unit for 1 battery
M103-715	Adult saw guide
M103-710	Adult saw blade
M14-816	Spray oil
K3-2731-S4	Basket with silicone fixations
K6-340	Perforated lid
K6-307	Box, non perforated



**M206-410**  
Power box with battery pack



**M206-226**  
Charger unit for 1 battery



**M14-816**  
Spray oil, for motor and additional pcs. After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



**K6-340**  
Perforated Lid, Standard Model  
460 x 285 mm

**K6-307**  
Box, non perforated  
475 x 272 x 138 mm



**K3-2731-S4**  
Basket with silicone fixations  
411 x 259 x 114 mm

### M206-1011 Cardio Vascular Set

Set Content

M206-240	Karinca Sternum saw Handpiece
M206-410	Power box with battery pack (2 pcs)
M206-212	Autoclavable sterile funnel for aseptic battery loading
M206-227	Charger unit for 2 batteries
M206-300	Karinca Re-Operation saw Handpiece
M103-715	Adult saw guide
M103-710	Adult saw blade
M103-392	Re-Operation saw blade
M14-816	Spray oil
K3-2723-S2	Basket with silicone fixations
K6-120	Perforated lid
K6-107	Box, non perforated



**M206-410**  
Power box with battery pack (2 pcs)



**M206-227**  
Charger unit for 2 batteries



**M14-816**  
Spray oil, for motor and additional pcs. After cleaning of every use. Oil inside of all moving pcs of device by spraying method and run the device for 2-3 seconds.



**K6-120**  
Perforated Lid, Standard Model  
585 x 285 mm

**K6-107**  
Box, non perforated  
600 x 272 x 138 mm



**K3-2723-S2**  
Basket with silicone fixations  
546 x 259 x 114 mm



## CONTAINER SET FOR STERILIZATION



**K8-123V**  
Lid, B3 Barrier Model  
585 x 285 mm

**K6-107**  
Container, non perforated  
600 x 272 x 138 mm



**K8-343V**  
Lid, B3 Barrier Model  
460 x 285 mm


**K6-307**  
Container, non perforated  
475 x 272 x 138 mm




**K3-742**  
Basket made from  
stainless steel sheet (with stand)  
540 x 253 x 80 mm




**K3-750**  
Basket made from  
stainless steel sheet (with stand)  
405 x 253 x 80 mm




**K2-462**  
Wire basket  
540 x 245 x 70 mm



**K2-1502**  
Wire basket  
405 x 245 x 70 mm



**K2-526**  
Silicone mat  
520 x 230 mm




**K2-524**  
Silicone mat  
380 x 230 mm

code	color
Thoracotomy	Basic Set
Basic Set	Thoracotomy
Thoracotomy	Basic Set
Basic Set	Thoracotomy
K2-700	Red
K2-701	Blue
K2-702	Green
K2-703	Yellow
K2-704	Grey
K2-705	Black
K2-706	Pink
K2-707	Brown

Identification labels (aluminium)  
Coloured identification labels  
Engraved to your specifications  
Maximum 16 letters



**K2-673**  
Labels (paper)  
100 pcs. With indicator.  
For small size and special  
containers



**K2-672**  
Labels (paper)  
100 pcs. With indicator.  
For full and half size containers



**K1-900**  
Modular Auto Lock Mechanism (2 Pcs)



**K2-660 red**  
Security seal  
100 pcs made of plastic



**K2-740**  
Single use paper  
filter 100 pcs  
with indicator.  
Aygün mark.



For more information and alternative please see  
our Sterilization Container System catalog.  
From our website [www.aygun.com](http://www.aygun.com)



Standard Plus Model



Bio-Barrier Model



B3 Barrier Model  
PTFE - Valve - Biostop



PPSU Model



Standard Model



Scoren



Karınca 206



Raptor SPS 4



Dermatome ST5



Dermatome



A1 Model



Window Model



Plasma Model



Dental, Mini &  
Special Model




Basket



Karınca 208



HSM-2  
Neuro System



HSM  
Neuro System



Mini Bone



Mini Bone  
Monoblock



Artroscopy  
Shaver System




HSM  
Micro System



Praxis 3




Praxis 3B




Standard Macro




Electro Pneumatic  
Surgical Motor



Macro Compact 2



Mini Compact



NAP Neuro Air  
Power



Mini Surgical Motor

## INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
K1-900	39	M7-520	18	M7-757	23	M103-390	31	M103-1146	29
K2-462	38	M7-521	18	M7-789	23	M103-391	31	M103-1147	29
K2-524	38	M7-522	18	M7-905	20	M103-392	31	M206-200	16
K2-526	38	M7-523	18	M7-906	20	M103-709	30	M206-212	14
K2-660	39	M7-524	18	M7-907	20	M103-710	30	M206-226	15
K2-672	39	M7-525	18	M7-908	20	M103-711	30	M206-227	15
K2-673	39	M7-526	18	M7-920	21	M103-712	30	M206-229	15
K2-700	39	M7-527	18	M7-921	21	M103-715	30	M206-235	25
K2-701	39	M7-528	18	M7-922	21	M103-716	30	M206-240	30
K2-702	39	M7-529	18	M7-923	21	M103-1110	26	M206-300	26, 31
K2-703	39	M7-530	18	M7-924	21	M103-1111	26	M206-308	17
K2-704	39	M7-540	18	M7-925	21	M103-1112	26	M206-309	17
K2-705	39	M7-541	18	M7-926	21	M103-1113	27	M206-310	17
K2-706	39	M7-542	18	M7-927	21	M103-1114	27	M206-311	17
K2-707	39	M7-543	18	M7-928	21	M103-1115	27	M206-312	19
K2-740	39	M7-544	18	M7-929	21	M103-1116	27	M206-320	19, 22
K2-1502	38	M7-545	18	M7-930	21	M103-1117	27	M206-330	20
K3-742	38	M7-546	18	M7-931	21	M103-1118	27	M206-349	24
K3-750	38	M7-547	18	M7-932	21	M103-1119	28	M206-352	24
K3-2723	32	M7-548	18	M7-933	21	M103-1120	28	M206-353	24
K3-2723-S2	37	M7-549	18	M7-934	21	M103-1121	28	M206-360	18
K3-2731	33	M7-550	18	M7-935	21	M103-1122	28	M206-361	18
K3-2731-S2	34	M7-560	18	M7-936	21	M103-1123	28	M206-362	18
K3-2731-S3	35	M7-561	18	M7-937	21	M103-1124	28	M206-375	19
K3-2731-S4	36	M7-562	18	M7-938	21	M103-1125	28	M206-376	19
K6-107	32, 37	M7-563	18	M7-939	21	M103-1126	28	M206-377	19
K6-120	32, 37	M7-564	18	M7-940	21	M103-1127	28	M206-378	19
K6-307	33, 36	M7-565	18	M7-941	21	M103-1128	28	M206-380	19
K6-340	33, 36	M7-566	18	M7-942	21	M103-1129	28	M206-381	19
K8-123V	38	M7-567	18	M7-943	21	M103-1130	28	M206-410	14
K8-343V	38	M7-568	18	M7-944	21	M103-1131	28	M206-411	14
M7-250	17, 19	M7-569	18	M7-945	21	M103-1132	28	M206-1001	32
M7-252	17	M7-570	18	M7-946	21	M103-1133	28	M206-1005	33
M7-253	17	M7-705	22	M7-947	21	M103-1134	28	M206-1007	34
M7-500	17	M7-706	22	M7-960	21	M103-1135	28	M206-1009	36
M7-501	17	M7-707	22	M7-961	21	M103-1136	29	M206-1011	37
M7-502	17	M7-708	22	M7-962	21	M103-1137	29	M206-1013	35
M7-503	17	M7-709	23	M7-963	21	M103-1138	29		
M7-504	17	M7-750	23	M7-964	21	M103-1139	29		
M7-505	17	M7-751	23	M7-965	21	M103-1140	29		
M7-506	17	M7-752	23	M8-473	17	M103-1141	29		
M7-507	17	M7-753	23	M14-816	32, 33	M103-1142	29		
M7-508	17	M7-754	23	M103-236	25	M103-1143	29		
M7-509	17	M7-755	23	M103-238	25	M103-1144	29		
M7-510	17	M7-756	23	M103-239	25	M103-1145	29		

**AYGUN**<sup>®</sup>  
SURGICAL INSTRUMENTS CO., INC.

All rights reserved. No part of this catalog may be reproduced in any form without the written permission from AYGUN